

## Publizierte Reviews und Referenz- liste mit Literaturzitaten zum Artikel:

# Genotoxische Effekte durch Funkwellen?

## Analyse der vorhandenen wissenschaftlichen Belege in zeitlicher Entwicklung



Dr. rer. nat. Wilma Dubois  
Dr. rer. nat. Frank Gollnick  
Forschungsgemeinschaft Funk

### Reviews

**Juutilainen, 1997:** Juutilainen J, Lang S: "Genotoxic, carcinogenic and teratogenic effects of electromagnetic fields. Introduction and overview" in: Mutat Res 1997; 387 (3): 165 - 171

**Brusick, 1998:** Brusick D, Albertini R, Mc Ree D, Peterson D, Williams G, Hanawalt P, Preston J: "Genotoxicity of radiofrequency radiation. DNA/Genetox Expert Panel." in: Environ Mol Mutagen 1998; 32 (1): 1 - 16

**Verschaeve, 1998:** Verschaeve L, Maes A: "Genetic, carcinogenic and teratogenic effects of radiofrequency fields." in: Mutat Res 1998; 410 (2): 141 - 165

**Moulder, 1999:** Moulder JE, Erdreich LS, Malyapa RS, Merritt J, Pickard WF, Vijayalaxmi: "Cell phones and cancer: what is the evidence for a connection?" in: Radiat Res 1999; 151 (5): 513 - 531

**Carlo, 2000:** Carlo GL, Jenrow RS: "Scientific progress - wireless phones and brain cancer: current state of the science." in: MedGenMed 2000: E40

**Frumkin, 2001:** Frumkin H, Jacobson A, Gansler T, Thun MJ: "Cellular phones and risk of brain tumors." in: CA Cancer J Clin 2001; 51 (2): 137 - 141

**Heynick, 2003:** Heynick LN, Johnston SA, Mason PA: "Radio frequency electromagnetic fields: Cancer, mutagenesis, and genotoxicity." in: Bioelectromagnetics 2003; 24: S74 - S100

**Meltz, 2003:** Meltz ML: "Radiofrequency exposure and mammalian cell toxicity, genotoxicity, and transformation." in: Bioelectromagnetics 2003; 24: S196 - S213

**Vijayalaxmi, 2004:** Vijayalaxmi, Obé G: "Controversial cytogenetic observations in mammalian somatic cells exposed to radiofrequency radiation." in: Radiat Res 2004; 162 (5): 481 - 496

**Moulder, 2005:** Moulder JE, Foster KR, Erdreich LS, Mc Namee JP: "Mobile phones, mobile phone base stations and cancer: a review." in: *Int J Radiat Biol* 2005; 81 (3): 189 – 203

**Verschaeve, 2005:** Verschaeve L: "Genetic effects of radiofrequency radiation (RFR)." in: *Toxicol Appl Pharmacol* 2005; 207: 336 – 341

**Vijayalaxmi, 2008:** Vijayalaxmi, Prihoda TJ: "Genetic Damage in Mammalian Somatic Cells Exposed to Radiofrequency Radiation: A Metaanalysis of Data from 63 Publications (1990-2005)." in: *Radiat Res* 2008; 169 (5): 561 – 574

**Hardell, 2008:** Hardell L, Sage C: "Biological effects from electromagnetic field exposure and public exposure standards." in: *Biomed Pharmacother.* 2008; 62 (2): 104 – 109

## Referenzliste

Aitken RJ, Bennetts LE, Sawyer D, Wiklendt AM, King BV: Impact of radio frequency electromagnetic radiation on DNA integrity in the male germline.  
*Int J Androl* 2005; 28 (3): 171 – 179

Alam MT, Barthakur N, Lambert NG, Kasatiya SS: Cytological effects of microwave radiation in Chinese hamster cells in vitro.  
*Can J Genet Cytol* 1978; 20 (1): 23 – 30

Albertini RJ, Anderson D, Douglas GR, Hagmar L, Hemminki K, Merlo F, Natarajan AT, Norppa H, Shuker DE, Tice R, Waters MD, Aitio A.: IPCS guidelines for the monitoring of genotoxic effects of carcinogens in humans. International Programme on Chemical Safety.  
*Mutat Res.* 2000;463(2):111-72.

Antonopoulos A, Eisenbrandt H, Obe G: Effects of high-frequency electromagnetic fields on human lymphocytes in vitro.  
*Mutat Res* 1997; 395 (2-3): 209 - 214

Antonopoulos A, Obe G, Brinkmann K, Eisenbrandt H, Grigat JP, Elsner R, Storbeck W, Dehmel G: Der Einfluß von hochfrequenten elektromagnetischen Feldern auf den Zellzyklus und auf die Frequenz von Schwesterchromatidaustauschen: Analysen an menschlichen Lymphozyten in Kultur.  
*Edition Wissenschaft* 1998; 14 : 3 - 13 (Journal nicht Peer-Reviewed )

Baohong W, Jiliang H, Lifan J, Deqiang L, Wei Z, Jianlin L, Hongping D: Studying the synergistic damage effects induced by 1.8 GHz radiofrequency field radiation (RFR) with four chemical mutagens on human lymphocyte DNA using comet assay in vitro.  
*Mutat Res* 2005; 578 (1-2): 149 - 157

Baohong W, Lifan J, Lanjuan L, Jianlin L, Deqiang L, Wei Z, Jiliang H: Evaluating the combinative effects on human lymphocyte DNA damage induced by ultraviolet ray C plus 1.8 GHz microwaves using comet assay in vitro.  
*Toxicology* 2007; 232 (3): 311 – 316

Beechey CV, Brooker D, Kowalczyk CI, Saunders RD, Searle AG: Cytogenetic effects of microwave irradiation on male germ cells of the mouse.  
*Int J Radiat Biol Relat Stud Phys Chem Med* 1986; 50 (5): 909 - 918

Belyaev IY, Alipov YD, Shcheglov VS: Chromosome DNA as a target of resonant interaction between Escherichia Coli cells and low-intensity millimeter waves.  
*Electro Magnetobiol* 1992a; 11 (2): 97 - 108

Belyaev IY, Alipov YD, Shcheglov VS, Lystsov VN: Resonance effect of microwaves on the genome conformational state of E. coli cells.  
*Z Naturforsch [C]* 1992b; 47 (7-8): 621 - 627

Belyaev IY, Alipov YD, Polunin VA, Shcheglov VS: Evidence for dependence of resonant frequency of millimeter wave interaction with Escherichia coli K12 cells on haploid genome length.  
Electro Magnetobiol 1993; 12 (1): 39 - 49

Belyaev IY, Alipov YD, Shcheglov VS, Polunin VA, Aizenberg OA: Cooperative response of Escherichia coli cells to the resonance effect of millimeter waves at super low intensity.  
Electro Magnetobiol 1994; 13 (1): 53 - 66

Belyaev IY, Hillert L, Protopopova M, Tamm C, Malmgren LO, Persson BR, Selivanova G, Harms-Ringdahl M: 915 MHz microwaves and 50 Hz magnetic field affect chromatin conformation and 53BP1 foci in human lymphocytes from hypersensitive and healthy persons.  
Bioelectromagnetics 2005; 26 (3): 173 - 184

Belyaev IY, Koch CB, Terenius O, Roxstrom-Lindquist K, Malmgren LO, H Sommer W, Salford LG, Persson BR: Exposure of rat brain to 915 MHz GSM microwaves induces changes in gene expression but not double stranded DNA breaks or effects on chromatin conformation.  
Bioelectromagnetics 2006; 27 (4): 295 - 306

Bisht KS, Moros EG, Straube WL, Baty JD, Roti Roti JL: The effect of 835.62 MHz FDMA or 847.74 MHz CDMA modulated radiofrequency radiation on the induction of micronuclei in C3H 10T(1/2) cells.  
Radiat Res 2002; 157 (5): 506 - 515

Blevins RD, Crenshaw Jr RC, Hougland AE, Clark CE: The effects of microwave radiation and heat on specific mutants of Salmonella typhimurium LT2.  
Radiat Res 1980; 82 (3): 511 - 517

Busljeta I, Trosic I, Milkovic-Kraus S: Erythropoietic changes in rats after 2.45 GHz nonthermal irradiation  
Int J Hyg Environ Health 2004; 207 (6): 549 - 554

Cain CD, Thomas DL, Adey WR: Focus formation of C3H/10T1/2 cells and exposure to a 836.55 MHz modulated radiofrequency field.  
Bioelectromagnetics 1997; 18 (3): 237 - 243

Chang SK, Choi JS, Gil HW, Yang JO, Lee EY, Jeon YS, Lee ZW, Lee M, Hong MY, Ho Son T, Hong SY: Genotoxicity evaluation of electromagnetic fields generated by 835-MHz mobile phone frequency band.  
Eur J Cancer Prev 2005; 14 (2): 175 - 179

Chemeris NK, Gapeyev AB, Sirota NP, Gudkova OY, Kornienko NV, Tankanag AV, Kononov IV, Buzoverya ME, Suvorov VG, Logunov VA: DNA damage in frog erythrocytes after in vitro exposure to a high peak-power pulsed electromagnetic field.  
Mutat Res 2004; 558 (1-2): 27 - 34

Chemeris NK, Gapeyev AB, Sirota NP, Gudkova OY, Tankanag AV, Kononov IV, Buzoverya ME, Suvorov VG, Logunov VA: Lack of direct DNA damage in human blood leukocytes and lymphocytes after in vitro exposure to high power microwave pulses.  
Bioelectromagnetics 2006; 27 (3): 197 - 203

Chen KM, Samuel A, Hoopingarner R: Chromosomal aberrations of living cells induced by microwave radiation.  
Environ Lett 1974; 6 (1): 37 - 46

Ciaravino V, Meltz ML, Erwin DN: Effects of radiofrequency radiation and simultaneous exposure with mitomycin C on the frequency of sister chromatid exchanges in Chinese hamster ovary cells.  
Environ Mutagen 1987; 9 (4): 393 - 399

d'Ambrosio G, Lioi MB, Massa R, Scarfi MR, Zeni O: Genotoxic Effects of Amplitude-Modulated Microwaves on Human Lymphocytes Exposed in Vitro under Controlled Conditions.  
Electro Magnetobiol 1995; 14 (3): 157 - 164

d'Ambrosio G, Massa R, Scarfi MR, Zeni O: Cytogenetic damage in human lymphocytes following GMSK phase modulated microwave exposure.  
Bioelectromagnetics 2002; 23 (1): 7 - 13

Dardalhon M, Averbek D, Berteaud AJ: Determination of a thermal equivalent of millimeter microwaves in living cells.  
J Microw Power 1979; 14 (4): 307 - 312

Dardalhon M, Averbeck D, Berteaud AJ: Studies on possible genetic effects of microwaves in procaryotic and eucaryotic cells.  
Radiat Environ Biophys 1981; 20 (1): 37 - 51

Dardalhon M, Averbeck D, Berteaud AJ, Ravary V: Thermal aspects of biological effects of microwaves in *Saccharomyces cerevisiae*.  
Int J Radiat Biol 1985; 48 (6): 987 - 996

Demsia G, Vlastos D, Matthopoulos DP: Effect of 910-MHz electromagnetic field on rat bone marrow.  
Scientific World Journal 2004; 4 (2): 48-54.

Dhahi SJ, Habash RW, Al-Hafid HAT: Lack of mutagenic effects on conidia of *Aspergillus amstelodami* irradiated by 8.7175 GHz CW microwaves.  
J Microw Power 1982; 17 (4): 345 - 351

Diem E, Schwarz C, Adlkofer F, Jahn O, Rüdiger H: Non-thermal DNA breakage by mobile-phone radiation (1800 MHz) in human fibroblasts and in transformed GFSH-R17 rat granulosa cells in vitro.  
Mutat Res 2005; 583 (2): 178 - 183

Dutta SK, Nelson WH, Blackman CF, Brusick DJ: Lack of microbial genetic response to 2.45-GHz CW and 8.5- to 9.6-GHz pulsed microwaves.  
J Microw Power 1979; 14 (3): 275 - 280

Eberle P, Erdtmann-Vourliotis M, Diener S, Finke HG, Löffelholz B, Schnor A, Schröder M: Zellproliferation, Schwesterchromatidaustausche, Chromosomenaberrationen, Mikrokerne und Mutationsrate des HGPRT-Locus.  
Edition Wissenschaft 1996; 4 : 2 - 15 (Journal nicht Peer-Reviewed)

Ferreira AR, Knakievicz T, Pasquali MA, Gelain DP, Dal-Pizzol F, Fernandez CE, de Salles AA, Ferreira HB, Moreira JC: Ultra high frequency-electromagnetic field irradiation during pregnancy leads to an increase in erythrocytes micronuclei incidence in rat offspring.  
Life Sci 2006; 80 (1): 43 - 50

Fucic A, Garaj-Vrhovac V, Skara M, Dimitrovic B: X-rays, microwaves and vinyl chloride monomer: their clastogenic and aneugenic activity, using the micronucleus assay on human lymphocytes.  
Mutat Res 1992; 282 (4): 265 - 271

Gadhia PK, Shah T, Mistry A, Pithawala M, Tamakuvala D: A Preliminary Study to Assess Possible Chromosomal Damage Among Users of Digital Mobile Phones.  
Electromagn Biol Med 2003; 22 (2-3): 149 - 159

Garaj-Vrhovac V, Horvat D, Koren Z: The effect of microwave radiation on the cell genome.  
Mutat Res 1990a; 243 (2): 87 - 93

Garaj-Vrhovac V, Fucic A, Horvat D: Comparison of chromosome aberration and micronucleus induction in human lymphocytes after occupational exposure to vinyl chloride monomer and microwave radiation.  
Period Biol 1990b; 92 (4): 411 - 416

Garaj-Vrhovac V, Horvat D, Koren Z: The relationship between colony-forming ability, chromosome aberrations and incidence of micronuclei in V79 Chinese hamster cells exposed to microwave radiation.  
Mutat Res 1991; 263 (3): 143 - 149

Garaj-Vrhovac V, Fucic A, Horvat D: The correlation between the frequency of micronuclei and specific chromosome aberrations in human lymphocytes exposed to microwave radiation in vitro.  
Mutat Res 1992; 281 (3): 181 - 186

Garaj-Vrhovac V, Fucic A: The rate of elimination of chromosomal aberrations after accidental exposure to microwave radiation.  
Bioelectrochem Bioenerg 1993; 30 : 319 - 325

Garaj-Vrhovac V: Micronucleus assay and lymphocyte mitotic activity in risk assessment of occupational exposure to microwave radiation.  
Chemosphere 1999; 39 (13): 2301 - 2312

Gorlitz BD, Muller M, Ebert S, Hecker H, Kuster N, Dasenbrock C: Effects of 1-week and 6-week exposure to GSM/DCS radiofrequency radiation on micronucleus formation in B6C3F1 mice.  
Radiat Res 2005; 164 (4 Pt 1): 431 - 439

Gos P, Eicher B, Kohli J, Heyer WD: No mutagenic or recombinogenic effects of mobile phone fields at 900 MHz detected in the yeast *saccharomyces cerevisiae*.  
*Bioelectromagnetics* 2000; 21 (7): 515 - 523

Goud SN, Rani MV, Reddy PP, Reddi OS, Rao MS, Saxena VK: Genetic effects of microwave radiation in mice.  
*Mutat Res* 1982; 103 (1): 39 - 42

Hamnerius Y, Olofsson H, Rasmuson A, Rasmuson B: A Negative Test for Mutagenic Action of Microwave Radiation in *Drosophila melanogaster*.  
*Mutat Res* 1979; 68 (3): 217 - 223

Hamrick PE: Letter: Thermal denaturation of DNA exposed to 2450 MHz CW microwave radiation.  
*Radiat Res* 1973; 56 (2): 400 - 404

Hansen V, Ruger W: Wirkung hochfrequenter elektromagnetischer Felder auf DNA, Proteine und DNA-Protein-Komplexe  
Edition Wissenschaft 1996; 8 : 3 - 38 (Journal nicht Peer-Reviewed)

Hook GJ, Zhang P, Lagroye I, Li L, Higashikubo R, Moros EG, Straube WL, Pickard WF, Baty JD, Roti Roti JL: Measurement of DNA damage and apoptosis in Molt-4 cells after in vitro exposure to radiofrequency radiation.  
*Radiat Res* 2004; 161 (2): 193 - 200

Juutilainen J, Heikkinen P, Soikkeli H, Maki-Paakkanen J: Micronucleus frequency in erythrocytes of mice after long-term exposure to radiofrequency radiation.  
*Int J Radiat Biol* 2007; 83 (4): 213 - 220

Kerbacher JJ, Meltz ML, Erwin DN: Influence of radiofrequency radiation on chromosome aberrations in CHO cells and its interaction with DNA-damaging agents.  
*Radiat Res* 1990; 123 (3): 311 - 319

Kim JY, Hong SY, Lee YM, Yu SA, Koh WS, Hong JR, Son T, Chang SK, Lee M: In vitro assessment of clastogenicity of mobile-phone radiation (835 MHz) using the alkaline comet assay and chromosomal aberration test.  
*Environ Toxicol* 2008; 23 (3): 319 - 327

Komatsubara Y, Hirose H, Sakurai T, Koyama S, Suzuki Y, Taki M, Miyakoshi J: Effect of 2.45 GHz electromagnetic fields with a wide range of SARs on DNA damage in MO54 cells.  
*European Biology and Bioelectromagnetics* 2005

Komatsubara Y, Hirose H, Sakurai T, Koyama S, Suzuki Y, Taki M, Miyakoshi J: Effect of high-frequency electromagnetic fields with a wide range of SARs on chromosomal aberrations in murine m5S cells.  
*Mutat Res* 2005; 587 (1-2): 114 - 119

Koyama S, Nakahara T, Wake K, Taki M, Isozumi Y, Miyakoshi J: Effects of high frequency electromagnetic fields on micronucleus formation in CHO-K1 cells.  
*Mutat Res* 2003; 541 (1-2): 81 - 89

Koyama S, Isozumi Y, Suzuki Y, Taki M, Miyakoshi J: Effects of 2.45-GHz electromagnetic fields with a wide range of SARs on micronucleus formation in CHO-K1 cells.  
*ScientificWorldJournal* 2004; 4 : 29 - 40

Koyama S, Takashima Y, Sakurai T, Suzuki Y, Taki M, Miyakoshi J: Effects of 2.45 GHz electromagnetic fields with a wide range of SARs on bacterial and HPRT gene mutations.  
*J Radiat Res (Tokyo)* 2007; 48 (1): 69 - 75

Lagroye I, Anane R, Wettring BA, Moros EG, Straube WL, Laregina M, Niehoff M, Pickard WF, Baty J, Roti Roti JL: Measurement of DNA damage after acute exposure to pulsed-wave 2450 MHz microwaves in rat brain cells by two alkaline comet assay methods.  
*Int J Radiat Biol* 2004a; 80 (1): 11 - 20

Lagroye I, Hook GJ, Wettring BA, Baty JD, Moros EG, Straube WL, Roti Roti JL: Measurements of alkali-labile DNA damage and protein-DNA crosslinks after 2450 MHz microwave and low-dose gamma irradiation in vitro.  
*Radiat Res* 2004b; 161 (2): 201 - 214

Lai H, Singh NP: Acute low-intensity microwave exposure increases DNA single-strand breaks in rat brain cells.

Bioelectromagnetics 1995; 16 (3): 207 - 210

Lai H, Singh NP: Single- and double-strand DNA breaks in rat brain cells after acute exposure to radiofrequency electromagnetic radiation.

Int J Radiat Biol 1996; 69 (4): 513 - 521

Lai H, Singh NP: Melatonin and a spin-trap compound block radiofrequency electromagnetic radiation-induced DNA strand breaks in rat brain cells.

Bioelectromagnetics 1997; 18 (6): 446 - 454

Lai H, Carino M, Singh N: Naltrexone blocks RFR-induced DNA double strand breaks in rat brain cells.

Wireless Networks 1997; 3 (6): 471 - 476

Lai H, Singh NP: Interaction of Microwaves and a Temporally Incoherent Magnetic Field on Single and Double DNA Strand Breaks in Rat Brain Cells.

Electromagn Biol Med 2005; 24 (1): 23 - 29

Lantow M, Schuderer J, Hartwig C, Simko M: Free radical release and HSP70 expression in two human immune-relevant cell lines after exposure to 1800 MHz radiofrequency radiation.

Radiat Res 2006; 165 (1): 88 - 94

Li L, Bisht KS, LaGroye I, Zhang P, Straube WL, Moros EG, Roti Roti JL: Measurement of DNA damage in mam-malian cells exposed in vitro to radiofrequency fields at SARs of 3-5 W/kg.

Radiat Res 2001; 156 (3): 328 - 332

Litovitz TA, Penafiel LM, Farrel JM, Krause D, Meister R, Mullins JM : Bioeffects induced by exposure to microwaves are mitigated by superposition of ELF noise.

Bioelectromagnetics 1997; 18 (6): 422 - 430

Lixia S, Yao K, Kaijun W, Deqiang L, Huajun H, Xiangwei G, Baohong W, Wei Z, Jianling L, Wei W: Effects of 1.8 GHz radiofrequency field on DNA damage and expression of heat shock protein 70 in human lens epithelial cells.

Mutat Res 2006; 602 (1-2): 135 - 142

Lloyd DC, Saunders RD, Moquet JE, Kowalczyk CI : Absence of chromosomal damage in human lymphocytes exposed to microwave radiation with hyperthermia.

Bioelectromagnetics 1986; 7 (2): 235 - 237

Maes A, Verschaeve L, Arroyo A, De Wagter C, Vercruyssen L: In vitro cytogenetic effects of 2450 MHz waves on human peripheral blood lymphocytes.

Bioelectromagnetics 1993; 14 (6): 495 - 501

Maes A, Collier M, Slaets D, Verschaeve L: Cytogenetic Effects of Microwaves from Mobile Communication Frequencies (954 MHz).

Electro Magnetobiol 1995; 14 (2): 91 - 98

Maes A, Collier M, Slaets D, Verschaeve L: 954 MHz microwaves enhance the mutagenic properties of mitomycin C.

Environ Mol Mutagen 1996; 28 (1): 26 - 30

Maes A, Collier M, Van Gorp U, Vandoninck S, Verschaeve L.: Cytogenetic effects of 935.2-MHz (GSM) microwaves alone and in combination with mitomycin C.

Mutat Res 1997; 393 (1 - 2): 151 - 156

Maes A, Collier M, Verschaeve L: Cytogenetic investigations on microwaves emitted by a 455.7 MHz car phone.

Folia Biol (Praha) 2000; 46 (5): 175 - 180

Maes A, Collier M, Verschaeve L: Cytogenetic effects of 900 MHz (GSM) microwaves on human lymphocytes.

Bioelectromagnetics 2001; 22 (2): 91 - 96

Maes A, Van Gorp U, Verschaeve L: Cytogenetic investigation of subjects professionally exposed to radiofrequency radiation.

Mutagenesis 2006; 21 (2): 139 - 142

Malyapa RS, Ahern EW, Straube WL, Moros EG, Pickard WF, Roti Roti JL: Measurement of DNA damage after exposure to 2450 MHz electromagnetic radiation.  
Radiat Res 1997a; 148 (6): 608 – 617

Malyapa RS, Ahern EW, Straube WL, Moros EG, Pickard WF, Roti Roti JL: Measurement of DNA damage after exposure to electromagnetic radiation in the cellular phone communication frequency band (835.62 and 847.74 MHz).  
Radiat Res 1997b; 148 (6): 618 - 627

Malyapa RS, Ahern EW, Bi C, Straube WL, LaRegina M, Pickard WF, Roti Roti JL: DNA damage in rat brain cells after in vivo exposure to 2450 MHz electromagnetic radiation and various methods of euthanasia.  
Radiat Res 1998; 149 (6): 637 – 645

Manikowska E, Luciani JM, Servantie B, Czernski P, Obrenovitch J, Stahl A: Effects of 9.4 GHz microwave exposure on meiosis in mice.  
Experientia 1979; 35 (3): 388 - 390

Manikowska-Czerska E, Czernski P, Leach WM: Effects of 2.45 GHz microwaves on meiotic chromosomes of male CBA/CAY mice.  
J Hered 1985; 76 (1): 71 - 73

Manti L, Braselmann H, Calabrese ML, Massa R, Pugliese M, Scamporrì P, Sicignano G, Grossi G: Effects of Modulated Microwave Radiation at Cellular Telephone Frequency (1.95 GHz) on X-Ray-Induced Chromosome Aberrations in Human Lymphocytes In Vitro.  
Radiat Res 2008; 169 (5): 575 – 583

Marec F, Ondracek J, Brunnhofer V: The effect of repeated microwave irradiation on the frequency of sex-linked recessive lethal mutations in *Drosophila melanogaster*.  
Mutat Res 1985; 157 (2 - 3): 163 - 167

Marinelli F, La Sala D, Ciccotti G, Cattini L, Trimarchi C, Putti S, Zamparelli A, Giuliani L, Tomassetti G, Cinti C: Exposure to 900 MHz electromagnetic field induces an unbalance between pro-apoptotic and prosurvival signals in T-lymphoblastoid leukemia CCRF-CEM cells.  
J Cell Physiol 2004; 198 (2): 324 - 332

Markova E, Hillert L, Malmgren L, Persson BR, Belyaev IY: Microwaves from GSM mobile telephones affect 53BP1 and gamma-H2AX foci in human lymphocytes from hypersensitive and healthy persons.  
Environ Health Perspect 2005; 113 (9): 1172 – 1177

Mashevich M, Folkman D, Kesar A, Barbul A, Korenstein R, Jerby E, Avivi L: Exposure of human peripheral blood lymphocytes to electromagnetic fields associated with cellular phones leads to chromosomal instability.  
Bioelectromagnetics 2003; 24 (2): 82 - 90

Mazor R, Korenstein-Ilan A, Barbul A, Eshet Y, Shahadi A, Jerby E, Korenstein R: Increased levels of numerical chromosome aberrations after in vitro exposure of human peripheral blood lymphocytes to radiofrequency electromagnetic fields for 72 hours.  
Radiat Res 2008; 169 (1): 28 – 37

McNamee JP, Bellier PV, Gajda GB, Miller SM, Lemay EP, Lavalley BF, Marro L, Thansandote A (a): DNA damage and micronucleus induction in human leukocytes after acute in vitro exposure to a 1.9 GHz continuouswave radiofrequency field.  
Radiat Res 2002; 158 (4): 523 – 533

McNamee JP, Bellier PV, Gajda GB, Lavalley BF, Lemay EP, Marro L, Thansandote A (b): DNA damage in human leukocytes after acute in vitro exposure to a 1.9 GHz pulse-modulated radiofrequency field.  
Radiat Res 2002; 158 (4): 534 - 537

McNamee JP, Bellier PV, Gajda GB, Lavalley BF, Marro L, Lemay E, Thansandote A: No evidence for genotoxic effects from 24 h exposure of human leukocytes to 1.9 GHz radiofrequency fields.  
Radiat Res 2003; 159 (5): 693 – 697

McRee DI, MacNichols G: Incidence of sister chromatid exchange in bone marrow cells of the mouse following microwave exposure.  
Radiat Res 1981; 85 (2): 340 - 348

- Meltz ML, Eagan P, Erwin DN: Absence of mutagenic interaction between microwaves and mitomycin C in mammalian cells.  
*Environ Mol Mutagen* 1989; 13 (4): 294 - 303
- Meltz ML, Eagan P, Erwin DN: Proflavin and microwave radiation: absence of a mutagenic interaction.  
*Bioelectromagnetics* 1990; 11 (2): 149 - 157
- Miyakoshi J, Yoshida M, Tarusawa Y, Nojima T, Wake K, Taki M: Effects of high-frequency electromagnetic fields on DNA strand breaks using comet assay method.  
*Electr Eng Jpn*, 141(4): 9-15, 2002
- Narasimhan V, Huh WK: Altered restriction patterns of microwave irradiated lambda-phage DNA.  
*Biochem Int* 1991; 25 (2): 363 - 370
- Nikolova T, Czyz J, Rolletschek A, Blyszczuk P, Fuchs J, Jovtchev G, Schuderer J, Kuster N, Wobus AM: Electromagnetic fields affect transcript levels of apoptosis-related genes in embryonic stem cell-derived neural progenitor cells.  
*FASEB J* 2005; 19 (12): 1686 - 1688
- Obé G: Validity and reliability of genotoxic studies for cancer risk assessment  
 Präsentation IMBA/FGF-Workshop "Omics for assessing unclear risks" Berlin, 26. - 28. Mai 2008
- Ono T, Saito Y, Komura J, Ikehata H, Tarusawa Y, Nojima T, Goukon K, Ohba Y, Wang J, Fujiwara O, Sato R: Absence of mutagenic effects of 2.45 GHz radiofrequency exposure in spleen, liver, brain, and testis of lacZ-transgenic mouse exposed in utero.  
*Tohoku J Exp Med* 2004, 202(2): 93-103
- Pakhomova ON, Pakhomov AG, Akyel Y: Effect of millimeter waves on UV-induced recombination and mutagenesis in yeast.  
*Bioelectrochem Bioenerg* 1997; 43 (2): 227 - 232
- Paulraj R, Behari J: Single strand DNA breaks in rat brain cells exposed to microwave radiation.  
*Mutat Res* 2006; 596 (1-2): 76-80
- Phillips JL, Ivaschuk O, Ishida-Jones T, Jones RA, Campbell-Beachler M, Haggren W: DNA damage in Molt-4 T-lymphoblastoid cells exposed to cellular telephone radiofrequency fields in vitro.  
*Bioelectrochem Bioenerg* 1998; 45 (1): 103 - 110
- Port M, Abend M, Romer B, Van Beuningen D: Influence of high-frequency electromagnetic fields on different modes of cell death and gene expression.  
*Int J Radiat Biol* 2003; 79 (9): 701 - 708
- Roti Roti JL, Malyapa RS, Bisht KS, Ahern EW, Moros EG, Pickard WF, Straube WL: Neoplastic transformation in C3H 10T(1/2) cells after exposure to 835.62 MHz FDMA and 847.74 MHz CDMA radiations.  
*Radiat Res* 2001; 155 (1 Pt 2): 239 - 247
- Sagripanti JL, Swicord ML: DNA structural changes caused by microwave radiation.  
*Int J Radiat Biol Relat Stud Phys Chem Med* 1986; 50 (1): 47 - 50
- Sagripanti JL, Swicord ML, Davis CC: Microwave effects on plasmid DNA.  
*Radiat Res* 1987; 110 (2): 219 - 231
- Sakuma N, Komatsubara Y, Takeda H, Hirose H, Sekijima M, Nojima T, Miyakoshi J: DNA strand breaks are not induced in human cells exposed to 2.1425 GHz band CW and W-CDMA modulated radiofrequency fields allocated to mobile radio base stations.  
*Bioelectromagnetics* 2006; 27 (1): 51 - 57
- Sannino A, Calabrese ML, d'Ambrosio G, Massa R, Petraglia G, Mita P, Sarti M, Scarfi MR: Evaluation of Cytotoxic and Genotoxic Effects in Human Peripheral Blood Leukocytes Following Exposure to 1950-MHz Modulated Signal  
*IEEE Trans Plasma Sci* 2006; 34 (4): 1441 - 1448
- Sarimov R, Malmgren LOG, Markova E, Persson BRR, Belyaev IY: Nonthermal GSM Microwaves Affect Chromatin Conformation in Human Lymphocytes Similar to Heat Shock.  
*IEEE Trans Plasma Sci* 2004; 32 (4): 1600 - 1608

Sarkar S, Ali S, Behari J: Effect of low power microwave on the mouse genome: a direct DNA analysis. *Mutat Res* 1994; 320 (1-2): 141 - 147

Saunders RD, Kowalczyk CI, Beechey CV, Dunford R: Studies of the induction of dominant lethals and translocations in male mice after chronic exposure to microwave radiation. *Int J Radiat Biol Relat Stud Phys Chem Med* 1988; 53 (6): 983 - 992

Scarfi MR, Lioi MB, d'Ambrosio G, Massa R, Zeni O, Di Pietto R, Di: Genotoxic effects of mitomycin-c and microwave radiation on bovine lymphocytes. *Electro Magnetobiol* 1996; 15 (2): 99 - 107

Scarfi MR, Fresegna AM, Villani P, Pinto R, Marino C, Sarti M, Altavista P, Sannino A, Lovisolo GA: Exposure to radiofrequency radiation (900 MHz, GSM signal) does not affect micronucleus frequency and cell proliferation in human peripheral blood lymphocytes: an interlaboratory study. *Radiat Res* 2006; 165 (6): 655 - 663

Schmid E, Schrader T: Different biological effectiveness of ionising and non-ionising radiations in mammalian cells. *Adv Radio Sci* 2007; 5 : 1 - 4

Schrader T, Münter K, Kleine-Ostmann T, Schmid E: Spindle disturbances in human-hamster hybrid (AL) cells induced by mobile communication frequency range signals. *Bioelectromagnetics* 2008: in press

Schwarz C, Kratochvil E, Pilger A, Kuster N, Adlkofer F, Rüdiger HW: Radiofrequency electromagnetic fields (UMTS, 1,950 MHz) induce genotoxic effects in vitro in human fibroblasts but not in lymphocytes. *Int Arch Occup Environ Health* 2008: in press

Shcheglov VS, Alipov ED, Belyaev IY: Cell-to-cell communication in response of E. coli cells at different phases of growth to low-intensity microwaves. *Biochim Biophys Acta* 2002; 1572 (1): 101 - 106

Speit G, Schütz P, Hoffmann H: Genotoxic effects of exposure to radiofrequency electromagnetic fields (RF-EMF) in cultured mammalian cells are not independently reproducible. *Mutat Res* 2007; 626 (1-2): 42 - 47

Stronati L, Testa A, Moquet J, Edwards A, Cordelli E, Villani P, Marino C, Fresegna AM, Appolloni M, Lloyd D: 935 MHz cellular phone radiation. An in vitro study of genotoxicity in human lymphocytes. *Int J Radiat Biol* 2006; 82 (5): 339 - 346

Sykes PJ, McCallum BD, Bangay MJ, Hooker AM, Morley AA: Effect of exposure to 900 MHz radiofrequency radiation on intrachromosomal recombination in pKZ1 mice. *Radiat Res* 2001; 156 (5 Pt 1): 495 - 502

Takahashi S, Inaguma S, Cho YM, Imaida K, Wang J, Fujiwara O, Shirai T: Lack of mutation induction with exposure to 1.5 GHz electromagnetic near fields used for cellular phones in brains of Big Blue mice. *Cancer Res* 2002; 62 (7): 1956 - 1960

Takashima Y, Hirose, H, Koyama S, Suzuki Y, Taki M, Miyakoshi J: Effects of continuous and intermittent exposure to RF fields with a wide range of SARs on cell growth, survival, and cell cycle distribution. *Bioelectromagnetics* 2006; 27(5):392-400.

Tice RR, Hook GG, Donner M, McRee DI, Guy AW: Genotoxicity of radiofrequency signals. I. Investigation of DNA damage and micronuclei induction in cultured human blood cells. *Bioelectromagnetics* 2002; 23 (2): 113 - 126

Trosic I, Busljeta I, Kasuba V, Rozgaj R: Micronucleus induction after whole-body microwave irradiation of rats. *Mutat Res* 2002; 521 (1-2): 73 - 79

Trosic I, Busljeta I, Modlic B: Investigation of the genotoxic effect of microwave irradiation in rat bone marrow cells: in vivo exposure. *Mutagenesis* 2004; 19 (5): 361 - 364

Valbonesi P, Franzellitti S, Piano A, Contin A, Biondi C, Fabbri E: Evaluation of HSP70 Expression and DNA Damage in Cells of a Human Trophoblast Cell Line Exposed to 1.8 GHz Amplitude-Modulated Radiofrequency Fields. *Radiat Res* 2008; 169 (3): 270 - 279

Verschaeve L, Heikkinen P, Verheyen G, Van Gorp U, Boonen F, Vander Plaetse F, Maes A, Kumlin T, Maki-Paakkanen J, Puranen L, Juutilainen J: Investigation of Co-genotoxic Effects of Radiofrequency Electromagnetic Fields In Vivo.  
Radiat Res 2006; 165 (5): 598 – 607

Vijayalaxmi , Mohan N, Meltz ML, Wittler MA: Proliferation and cytogenetic studies in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation.  
Int J Radiat Biol 1997a; 72 (6): 751 – 757

Vijayalaxmi , Frei MR, Dusch SJ, Guel V, Meltz ML, Jauchem JR: Frequency of micronuclei in the peripheral blood and bone marrow of cancer-prone mice chronically exposed to 2450 MHz radiofrequency radiation.  
Radiat Res 1997b; 147 (4): 495 - 500

Vijayalaxmi , Leal BZ, Szilagyi M, Prihoda TJ, Meltz ML: Primary DNA damage in human blood lymphocytes exposed in vitro to 2450 MHz radiofrequency radiation.  
Radiat Res 2000; 153 (4): 479 - 486

Vijayalaxmi , Leal BZ, Meltz ML, Pickard WF, Bisht KS, Roti Roti JL, Straube WL, Moros EG: Cytogenetic studies in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency (835.62 MHz, FDMA).  
Radiat Res 2001a; 155 (1 Pt 1): 113 - 121

Vijayalaxmi , Bisht KS, Pickard WF, Meltz ML, Roti Roti JL, Moros EG: Chromosome damage and micronucleus formation in human blood lymphocytes exposed in vitro to radiofrequency radiation at a cellular telephone frequency (847.74 MHz, CDMA).  
Radiat Res 2001b; 156 (4): 430 – 433

Vijayalaxmi , Pickard WF, Bisht KS, Prihoda TJ, Meltz ML, LaRegina MC, Roti Roti JL, Straube WL, Moros EG: Micronuclei in the peripheral blood and bone marrow cells of rats exposed to 2450 MHz radiofrequency radiation.  
Int J Radiat Biol 2001c; 77 (11): 1109 - 1115

Vijayalaxmi , Sasser LB, Morris JE, Wilson BW, Anderson LE : Genotoxic potential of 1.6 GHz wireless communication signal: in vivo two-year bioassay.  
Radiat Res 2003; 159 (4): 558 - 564

Vijayalaxmi , Logani MK, Bhanushali A, Ziskin MC, Prihoda TJ: Micronuclei in peripheral blood and bone marrow cells of mice exposed to 42 GHz electromagnetic millimeter waves.  
Radiat Res 2004; 161 (3): 341 - 345

Vijayalaxmi: Cytogenetic studies in human blood lymphocytes exposed in vitro to 2.45 GHz or 8.2 GHz radiofrequency radiation.  
Radiat Res 2006; 166 (3): 532 – 538

Wolf C: Security Considerations in Blinded Exposure Experiments Using Electromagnetic Waves  
Bioelectromagnetics, Brief Communications, Published online 31. July 2008

Yao KT: Cytogenetic consequences of microwave irradiation on mammalian cells incubated in vitro.  
J Hered 1982; 73 (2): 133 - 138

Yao K, Wu W, Wang K, Ni S, Ye P, Yu Y, Ye J, Sun L: Electromagnetic noise inhibits radiofrequency radiation-induced DNA damage and reactive oxygen species increase in human lens epithelial cells.  
Mol Vis 2008a; 14 : 964 – 969

Yao K, Wu W, Yu Y, Zeng Q, He J, Lu D, Wang K: Effect of superposed electromagnetic noise on DNA damage of lens epithelial cells induced by microwave radiation.  
Invest Ophthalmol Vis Sci 2008b; 49 (5): 2009 – 2015

Zeni O, Chiavoni AS, Sannino A, Antolini A, Forigo D, Bersani F, Scarfi MR: Lack of genotoxic effects (micronucleus induction) in human lymphocytes exposed in vitro to 900 MHz electromagnetic fields.  
Radiat Res 2003; 160 (2): 152 - 158

Zeni O, Romano M, Perrotta A, Lioi MB, Barbieri R, d'Ambrosio G, Massa R, Scarfi MR: Evaluation of genotoxic effects in human peripheral blood leukocytes following an acute in vitro exposure to 900 MHz radiofrequency fields.  
Bioelectromagnetics 2005; 26 (4): 258 - 265

Zeni O, Schiavoni A, Perrotta A, Forigo D, Deplano M, Scarfi MR: Evaluation of genotoxic effects in human leukocytes after in vitro exposure to 1950 MHz UMTS radiofrequency field.  
Bioelectromagnetics 2008; 29 (3): 177 - 184

Zhang MB, He JL, Jin LF, Lu DQ: Study of low-intensity 2450-MHz microwave exposure enhancing the genotoxic effects of mitomycin C using micronucleus test and comet assay in vitro.  
Biomed Environ Sci 2002; 15 (4): 283 - 290

Zotti-Martelli L, Peccatori M, Scarpato R, Migliore L: Induction of micronuclei in human lymphocytes exposed in vitro to microwave radiation.  
Mutat Res 2000; 472 (1-2): 51 - 58

Zotti-Martelli L, Peccatori M, Maggini V, Ballardini M, Barale R: Individual responsiveness to induction of micronuclei in human lymphocytes after exposure in vitro to 1800 MHz microwave radiation.  
Mutat Res 2005; 582 (1-2): 42 - 52