

## **Wissenschaftliche („peer-reviewed“) Veröffentlichungen zu Studien, in denen explizit mögliche Unterschiede in der Wirkung von pulsmodulierten und kontinuierlichen elektromagnetischen Feldern untersucht wurden**

Wilma Dubois, Frank Gollnick, Margarita Simeonova

Dies ist die Referenzliste zu Abschnitt 3.2.1 (Literaturanalyse).

- Abbate1996            EVALUATION OF PULSED MICROWAVE INFLUENCE ON ISOLATED HEARTS.  
Abbate M, Tine G, Zanforlin L  
IEEE Trans Micron Theory Tech 44(10 pt. 2), 1996
- Adair2001            PARTIAL-BODY EXPOSURE OF HUMAN VOLUNTEERS TO 2450 MHz  
PULSED OR CW FIELDS PROVOKES SIMILAR THERMOREGULATORY  
RESPONSES.  
Adair ER, Mylacraine KS, Kobb BL  
Bioelectromagnetics 22(4), 2001
- Alekseev1987        EFFECT OF EM RADIATION IN DECIMETRE WAVELENGTH RANGE ON  
CALCIUM CURRENT OF MOLLUSK NEURONES.  
Alekseev SI, Il'in VI, Tyazhelov VV  
Biophysics (Engl Transl Biofizika) 31(2), 1987
- Alekseev1995        MILLIMETER MICROWAVE EFFECT ON ION TRANSPORT ACROSS LIPID  
BILAYER MEMBRANES.  
Alekseev SI, Ziskin MC  
Bioelectromagnetics 16(2), 1995
- Anderstam1983      STUDIES OF POSSIBLE GENETIC EFFECTS IN BACTERIA OF HF EMF.  
Anderstam B, Hamnerius Y, Hussain S, Ehrenberg L  
Hereditas 98(1), 1983
- Antipenko1988      CYTOGENETIC EFFECTS OF MW OF NONTHERMAL INTENSITY IN  
MAMMALS.  
Antipenko EN, Koveshnikova IV  
Dokl Bio Sci 296(3), 1988
- Balanovski1978     CAN ELECTROMAGNETISM ACCOUNT FOR EXTRASENSORY  
PHENOMENA?  
Balanovski E, Taylor JG  
Nature 276(5683), 1978
- Baranski1967        ELECTROENCEPHALOGRAPHIC AND MORPHOLOGICAL STUDIES ON THE  
EFFECT OF MICROWAVES ON THE CENTRAL NERVOUS SYSTEM.  
Baranski S, Edelwejn Z  
Acta Physiol Pol 18(4), 1967

- Baranski1972 HISTOLOGICAL AND HISTOCHEMICAL EFFECT OF MICROWAVE IRRADIATION ON THE CENTRAL NERVOUS SYSTEM OF RABBITS AND GUINEA PIGS.  
Baranski S  
Am J Phys Med 51(4), 1972
- Beason2002 RESPONSES OF NEURONS TO AN AMPLITUDE MODULATED MICROWAVE STIMULUS.  
Beason RC, Semm P  
Neurosci Lett 333(3), 2002
- Birenbaum1969 EFFECTS OF MICROWAVES ON THE RABBIT EYE.  
Birenbaum L, Kaplan IT, Metlay W, Rosenthal SW, Schmidt H, Zaret MM  
J Microw Power 4(4), 1969; IEEE Trans Biomed Eng 16(1), 1969
- Birenbaum1975 MICROWAVES AND INFRA-RED EFFECTS ON HEART RATE; RESPIRATION RATE AND SUBCUTANEOUS TEMPERATURE OF THE RABBIT.  
Birenbaum L, Kaplan IT, Metlay W, Rosenthal SW, Zaret MM  
J Microw Power 10(1), 1975
- Bise1978 LOW POWER RF AND MW EFFECTS ON HUMAN EEG AND BEHAVIOR.  
Bise W  
Physiol Chem Phys 10(5)
- Bisht2002 THE EFFECT OF 835.62 MHz FDMA OR 847.74 MHz CDMA MODULATED RF RADIATION ON THE INDUCTION OF MICRONUCLEI IN C3H 10T(1/2) CELLS.  
Bisht KS, Moros EG, Straube WL, Baty JD, Roti Roti JL  
Radiat Res 157(5), 2002
- Bolshakov1992 BURSTING RESPONSES OF LYMNEA NEURONS TO MICROWAVE RADIATION.  
Bolshakov MA, Alekseev SI  
Bioelectromagnetics 13(2), 1992
- Bolshakov2001 EFFECT OF LOW-FREQUENCY PULSE-MODULATED 460 MHz EM IRRADIATION ON DROSOPHILA EMBRYOS.  
Bolshakov MA, Kniazeva IR, Lindt TA, Evdokimov EV  
Radiats Biol Radioecol 41(4)
- Bolshakov2002 EFFECTS OF 460 MHz MICROWAVE RADIATION AND ELEVATED TEMPERATURE ON DROSOPHILA EMBRYOS.  
Bolshakov MA, Kniazeva IR, Evdokimov EV  
Radiats Biol Radioecol 42(2)
- Brown1994 CHARACTERISTICS OF MICROWAVE EVOKED BODY MOVEMENTS IN MICE.  
Brown DO, Lu ST, Elson EC  
Bioelectromagnetics 15(2), 1994
- Brown1980 DIFFERING EFFECTS OF PULSED AND CW MW ENERGY UPON NERVE FUNCTION AS DETECTED BY BIREFRINGENCE MEASUREMENTS.  
Brown PVK, Larsen LE  
IEEE Trans Microw Theory Tech 28(10), 1980

- Browning1988 MW RADIATION, IN THE ABSENCE OF HYPERTHERMIA, HAS NO DETECTABLE EFFECT ON SYNAPSIN I LEVELS OR PHOSPHORYLATION.  
Browning MD, Haycock JW  
Neurotoxicol Teracol 10(5)
- Caddemi1986 MICROWAVE EFFECTS ON ISOLATED CHICK EMBRYO HEARTS.  
Caddemi A, Tamburello CC, Zanforlin L, Torregrossa MV  
Bioelectromagnetics 7(4), 1986
- Calzoni2003 WEAK EXTREMELY HF MW AFFECT POLLEN-TUBE EMERGENCE AND GROWTH IN KIWIFRUIT: POLLEN GRAIN IRRADIATION AND WATER-MEDIATED EFFECTS.  
Calzoni GL, Borghini F, Del Giudice E, Betti L, Dal Rio F, Migliori M, Trebbi G, Speranza A  
J Altern Complement Med 9(2), 2003
- Capri2004 IN VITRO EXPOSURE OF HUMAN LYMPHOCYTES TO 900 MHz CW AND GSM MODULATED RF: STUDIES OF PROLIFERATION, APOPTOSIS AND MITOCHONDRIAL MEMBRANE POTENTIAL.  
Capri M, Scarcella E, Fumelli C, Bianchi E, Salvioli S, Mesirca P, Agostini C, Antolini A, Schiavoni A, Castellani G, Bersani F, Franceschi C  
Radiat Res 162(2), 2004
- Chang1980 INHIBITION OF DNA SYNTHESIS AND ENHANCEMENT OF THE UPTAKE AND ACTION OF METHOTREXATE BY LOW POWER-DENSITY MW RADIATION IN L1210 LEUKEMIA CELLS.  
Chang BK, Huang AT, laJoines WT  
Cancer Res 40(4), 1980
- Chiang1984 EFFECTS OF MW EXPOSURE AT VARIOUS POWER DENSITIES ON MITOCHONDRIAL MARKER ENZYMES IN MOUSE BRAINS.  
Chiang H, Yao GD, Zhou S  
J Bioelectr 3(3), 1984
- Chou1978 EFFECTS OF EMF ON ISOLATED NERVE AND MUSCLE PREPARATIONS.  
Chou CK, Guy AW  
IEEE Trans Microw Theory Tech 26(3), 1978
- Chou1979 EFFECTS OF CONTINUOUS AND PULSED MICROWAVE EXPOSURE ON RABBITS.  
Chou CK, Guy AW, McDougall JA, Han LF  
Radio Science. 14, 1979
- Chou1980 MICROWAVE RADIATION AND HEART-BEAT RATE OF RABBITS.  
Chou CK, Han LF, Guy AW  
J Microw Power 15(2), 1980
- Chou1982 EFFECTS OF CONTINUOUS AND PULSED CHRONIC MICROWAVE EXPOSURE ON RABBITS.  
Chou CK, Guy AW, McDougall JA, Han LF  
Radio Sci 17, 1982
- Cleary1982 EFFECTS OF X-BAND MW EXPOSURE ON RABBIT ERYTHROCYTES.  
Cleary SF, Garber F, Liu LM  
Bioelectromagnetics 3(4), 1982

- Cleary1996 EFFECT OF ISOTHERMAL RF RADIATION ON CYTOLYTIC T LYMPHOCYTES.  
Cleary SF, Du Z, Cao G, Liu LM, McCrady C  
FASEB J 10(8), 1996
- Cranfield2001 EFFECTS OF MOBILE PHONE TYPE SIGNALS ON CALCIUM LEVELS WITHIN  
HUMAN LEUKAEMIC T-CELLS (JURKAT CELLS).  
Cranfield CG, Wood AW, Anderson V, Menezes KG  
Int J Radiat Biol 77(12), 2001
- Creighton1987 IN VITRO STUDIES OF MW-INDUCED CATARACT; II. COMPARISON OF  
DAMAGE OBSERVED FOR CW AND PULSED MW.  
Creighton MO, Larsen LE, Stewart-DeHaan PJ, Jacobi JH, Sanwal M, Baskerville  
JC, Bassen HE, Brown DO, Trevithick JR  
Exp Eye Res 45(3), 1987
- Czerska1992 EFFECTS OF CONTINUOUS AND PULSED 2450-MHz RADIATION ON  
SPONTANEOUS LYMPHOBLASTOID TRANSFORMATION OF HUMAN  
LYMPHOCYTES IN VITRO.  
Czerska EM, Elson EC, Davis CC, Swicord ML, Czerski P  
Bioelectromagnetics 13(4), 1992
- Czerski1975 MICROWAVE EFFECTS ON THE BLOOD-FORMING SYSTEM WITH  
PARTICULAR REFERENCE TO THE LYMPHOCYTE.  
Czerski P  
Ann N Y Acad Sci 247, 1975
- d'Ambrosio2002 CYTOGENETIC DAMAGE IN HUMAN LYMPHOCYTES FOLLOWING GMSK  
PHASE MODULATED MW EXPOSURE.  
d'Ambrosio G, Massa R, Rosaria Scarfi M, Zeni O  
Bioelectromagnetics 23(1), 2002
- D'Andrea1977 BEHAVIORAL AND THERMAL EFFECTS OF MICROWAVE RADIATION AT  
RESONANT AND NONRESONANT WAVELENGTHS.  
D'Andrea JA, Gandhi OP, Lords JL  
Radio Sci 12(6S), 1977
- Dardanoni1985 MILLIMETER-WAVE EFFECTS ON CANDIDA ALBICANS CELLS.  
Dardanoni L, Torregrossa MV, Zanforlin L  
J Bioelectr 4(1), 1985
- de Lorge1984 OPERANT BEHAVIOR AND COLONIC TEMPERATURE OF MACACA MULATTA  
EXPOSED TO RF FIELDS AT AND ABOVE RESONANT FREQUENCIES.  
de Lorge JO  
Bioelectromagnetics 5(2), 1984
- Devyatkov2001 EFFECT OF LOW-ENERGY AND HIGH-PEAK-POWER NANOSECOND  
PULSES OF MW RADIATION ON MALIGNANT TUMORS.  
Devyatkov ND, Pletnyov SD, Betskii OV, Faikin VV  
Crit Rev Biomed Eng 29(1), 2001; Bio-meditsinskaya Radio-elektronika (10), 2001
- Diem2005 NON-THERMAL DNA BREAKAGE BY MOBILE-PHONE RADIATION (1800 MHz)  
IN HUMAN FIBROBLASTS AND IN TRANSFORMED GFSH-R17 RAT  
GRANULOSA CELLS IN VITRO.  
Diem E, Schwarz C, Adlkofer F, Jahn O, Rudiger H  
Mutat Res 583(2), 2005

- Dutta1979 LACK OF MICROBIAL GENETIC RESPONSE TO 2.45-GHz CW AND 8.5 - 9.6-GHz PULSED MW.  
Dutta SK, Nelson WH, Blackman CF, Brusick DJ  
J Microw Power 14(3), 1979
- Dwivedi1979 ULTRASTRUCTURAL STUDIES ON THE EFFECT OF LOW FIELD INTENSITY MW RADIATION ON THE MEMBRANES OF LEAF CELLS OF RED KIDNEY BEANS (PHASEOLUS VULGARIS L.).  
Dwivedi RS, Vaidya CB  
J Cell Biol 83(2 Pt 2), 1979
- Elder2003 OCULAR EFFECTS OF RF ENERGY.  
Elder JA  
Bioelectromagnetics 24(6), 2003
- Elekes1996 EFFECT ON THE IMMUNE SYSTEM OF MICE EXPOSED CHRONICALLY TO 50 Hz AMPLITUDE-MODULATED 2.45 GHz MICROWAVES.  
Elekes E, Thuroczy G, Szabo LD  
Bioelectromagnetics 17(3), 1996
- Frei1988 PHYSIOLOGICAL EFFECTS OF 2.8 GHz RF RADIATION: A COMPARISON OF PULSED AND CW RADIATION.  
Frei MR, Jauchem JR, Heinmets F  
J Microw Power Electromagn Energy 23(2), 1988
- Frei1989-a THERMAL AND PHYSIOLOGICAL CHANGES IN RATS EXPOSED TO CW AND PULSED 2.8 GHz RF RADIATION IN E AND H ORIENTATIONS.  
Frei MR, Jauchem JR, Padilla JM  
Int J Radiat Biol 56(6), 1989
- Frei1989-b THERMOREGULATORY RESPONSES OF RATS EXPOSED TO 9.3-GHz RF RADIATION.  
Frei MR, Jauchem JR, Heinmets F  
Radiat Environ Biophys 28(1), 1989
- Frey1975-a AVOIDANCE BY RATS OF ILLUMINATION WITH LOW POWER NONIONIZING EM ENERGY.  
Frey AH, Feld SR  
J Comp Physiol Psychol 89(2), 1975
- Frey1975-b NEURAL FUNCTION AND BEHAVIOR: DEFINING THE RELATIONSHIP.  
Frey AH, Feld SR, Frey B  
Ann N Y Acad Sci 247, 1975
- Frey1986 EXPOSURE TO RF ELECTROMAGNETIC ENERGY DECREASES AGGRESSIVE BEHAVIOR.  
Frey AH, Spector J  
Aggressive Behav 12(4), 1986
- Fritze1997-a EFFECT OF GLOBAL SYSTEM FOR MOBILE COMMUNICATION (GSM) MW EXPOSURE ON BLOOD-BRAIN BARRIER PERMEABILITY IN RAT.  
Fritze K, Sommer C, Schmitz B, Mies G, Hossmann KA, Kiessling M, Wiessner C  
Acta Neuropathol (Berl) 94(5), 1997

- Fritze1997-b EFFECT OF GLOBAL SYSTEM FOR MOBILE COMMUNICATION MW EXPOSURE ON THE GENOMIC RESPONSE OF THE RAT BRAIN.  
Fritze K, Wiessner C, Kuster N, Sommer C, Gass P, Hermann DM, Kiessling M, Hossmann, KA  
Neuroscience 81(3), 1997
- Gokhale1984 THE ABSENCE OF SIGNIFICANT SHORT-TERM EM BIOEFFECTS IN GIANT ALGAL CELLS EXPOSED TO CW AND PULSE-MODULATED X-BAND BURSTS.  
Gokhale AV, Brunkard KM, Pickard WF  
IEEE Trans Microw Theory Tech 32(8), 1984
- Gokhale1985 EVIDENCE THAT CHARACEAN MEMBRANE TRANSPORT IS NOT SIGNIFICANTLY ALTERED BY INCIDENT EM RADIATION.  
Gokhale AV, Pickard WF  
Radiat Res 102(3), 1985
- Goswami1999 PROTO-ONCOGENE mRNA LEVELS AND ACTIVITIES OF MULTIPLE TRANSCRIPTION FACTORS IN C3H 10T1/2 MURINE EMBRYONIC FIBROBLASTS EXPOSED TO 835.62 AND 847.74 MHz CELLULAR PHONE COMMUNICATION FREQUENCY RADIATION.  
Goswami PC, Albee LD, Parsian AJ, Baty JD, Moros EG, Pickard WF, Roti Roti JL, Hunt CR  
Radiat Res 151(3), 1999
- Gruenau1982 ABSENCE OF MW EFFECT ON BLOOD-BRAIN BARRIER PERMEABILITY TO [14C]SUCROSE IN THE CONSCIOUS RAT.  
Gruenau SP, Oscar KJ, Folker MT, Rapoport SI  
Exp Neurol 75(2), 1982
- Hamnerius1985 BIOLOGICAL EFFECTS OF HF EMF ON SALMONELLA TYPHIMURIUM AND DROSOPHILA MELANOGASTER.  
Hamnerius Y, Rasmuson A, Rasmuson B  
Bioelectromagnetics 6(4), 1985
- Hamrick1980 THE EFFECT OF 2450-MHz MW IRRADIATION ON THE HEART RATE OF EMBRYONIC QUAIL.  
Hamrick PE, McRee DI  
Health Phys 38(3), 1980
- Haugh1997 PULSING MW ENERGY: A METHOD TO CREATE MORE UNIFORM MYOCARDIAL TEMPERATURE GRADIENTS.  
Haugh C, Davidson ES, Estes NA 3rd, Wang PJ  
J Interv Card Electrophysiol 1(1), 1997
- Heikkinen1999 CHRONIC EXPOSURE TO 50-Hz MAGNETIC FIELDS OR 900 MHz EMF DOES NOT ALTER NOCTURNAL 6-HYDROXYMELATONIN SULFATE SECRETION IN CBA/S MICE.  
Heikkinen P, Kumlin T, Laitinen JT, Komulainen H, Juutilainen J  
Electro Magnetobiol 18(1), 1999
- Heikkinen2001 EFFECTS OF MOBILE PHONE RADIATION ON X-RAY INDUCED TUMORIGENESIS IN MICE.  
Heikkinen P, Kosma V-M, Hongisto T, Huuskonen H, Hyysalo P, Komulainen H, Kumlin T, Lahtinen T, Lang S, Puranen L, Juutilainen J  
Radiat Res 156(6), 2001

- Heinmets1982 PILOT EXPERIMENTS ON TEMPERATURE CYCLING IN RATS EXPOSED REPETITIVELY TO RADIOFREQUENCY RADIATION (RFR).  
Heinmets F  
Physiol Chem Phys 14 (6), 1982
- Heinmets1984 A NEW METHOD OF SAR DETERMINATION IN ANIMALS EXPOSED TO MW/RF RADIATION (MW/RFR).  
Heinmets F, Frei MR, Jauchem JR, Hurt WD  
Physiol Chem Phys Med NMR 16(1), 1984
- Higashikubo2001 RF EMF DO NOT ALTER THE CELL CYCLE PROGRESSION OF C3H 10T1/2 AND U87MG CELLS.  
Higashikubo R, Ragouzis M, Moros EG, Straube WL, Roti Roti JL  
Radiat Res 156(6), 2001
- Hook2004 EVALUATION OF PARAMETERS OF OXIDATIVE STRESS AFTER IN VITRO EXPOSURE TO FMCW- AND CDMA-MODULATED RF RADIATION FIELDS.  
Hook GJ, Spitz DR, Sim JE, Higashikubo R, Baty JD, Moros EG, Roti Roti JL  
Radiat Res 162(5), 2004
- Huber2002 EMF, SUCH AS THOSE FROM MOBILE PHONES, ALTER REGIONAL CEREBRAL BLOOD FLOW AND SLEEP AND WAKING EEG.  
Huber R, Treyer V, Borbely AA, Schuderer J, Gottselig JM, Landolt HP, Werth E, Berthold T, Kuster N, Buck A, Achermann P  
J Sleep Res 11(4), 2002
- Huber2005 EXPOSURE TO PULSE-MODULATED RATIO FREQUENCY ELECTROMAGNETIC FIELDS AFFECTS REGIONAL CEREBRAL BLOOD FLOW.  
Huber R, Treyer V, Schuderer J, Berthold T, Buck A, Kuster N, Landolt HP, Achermann P  
Eur J Neurosci. 21 (4), 2005
- Iurinskaia1996 REACTION OF THE BRAIN RECEPTOR SYSTEM TO THE EFFECT OF LOW INTENSITY MW.  
Iurinskaia MM, Kuznetsov VI, Galeev AL, Kolomytkin OV  
Biofizika 41(4), 1996
- Jamamosmanovic1983 COMPARISON OF THE EFFECT OF CW AND PULSED 2450-MHz MW IRRADIATION ON THE LEVEL OF ATP, ADP AND AMP IN DEVELOPING RAT BRAIN.  
Jamamosmanovic A, Jevric A, Nakas M, Drecun M, ch Shore ML  
Period Biol 85(2), 1983
- Jauchem1984 HEART RATE CHANGES DUE TO 5.6-GHz RF RADIATION: RELATION TO AVERAGE POWER DENSITY.  
Jauchem JR, Frei MR, Heinmets F  
Proc Soc Exp Biol Med 177(3), 1984
- Kamimura1994 EFFECT OF 2.45 GHz MW IRRADIATION ON MONKEY EYES (LETTER).  
Kamimura Y, Saito K, Saiga T, Amemiya Y  
IEICE Trans Commun E77B(6), 1994

- Khitrov1990 THE ACTION OF MW RADIATION ON POTASSIUM ION TRANSPORT AND OXYGEN CONSUMPTION IN THE PERFUSED RAT LIVER.  
Khitrov IuA, Kakushkina ML  
Radiobiologija 30(2), 1990
- Komatsubara2005 EFFECT OF HIGH-FREQUENCY ELECTROMAGNETIC FIELDS WITH A WIDE RANGE OF SARs ON CHROMOSOMAL ABERRATIONS IN MURINE m5S CELLS.  
Komatsubara Y, Hirose H, Sakurai T, Koyama S, Suzuki Y, Taki M, Miyakoshi J  
Mutat Res. Sep 29, 2005
- Konovalov2001 DELAYED EFFECTS OF MODULATED AND NON-MODULATED EMF ON EPILEPTIFORM ACTIVITY IN RATS.  
Konovalov VF, Serikov IS  
Radiats Biol Radioecol 41(2), 2001
- Koveshnikova1988 CHANGES IN BODY WEIGHT OF RATS DURING IRRADIATION WITH MICROWAVES OF NONTHERMAL INTENSITY.  
Koveshnikova IV, Antipenko EN  
Radiobiologija 28(4), 1988
- Koveshnikova1991 THE PARTICIPATION OF THYROID HORMONES IN MODIFYING THE MUTAGENIC EFFECT OF MICROWAVES.  
Koveshnikova IV, Antipenko EN  
Radiobiologija 31(1)
- Kubinyi1996 EFFECT OF CW AND AMPLITUDE-MODULATED 2.45 GHz MW RADIATION ON THE LIVER AND BRAIN AMINOACYL-TRANSFER RNA SYNTHETASES OF IN UTERO EXPOSED MICE.  
Kubinyi G, Thuroczy G, Bakos J, Boloni E, Sinay H, Szabo LD  
Bioelectromagnetics 17(6), 1996
- Kues1985 EFFECTS OF 2.45-GHz MW ON PRIMATE CORNEAL ENDOTHELIUM.  
Kues HA, Hirst LW, Luttly GA, D'Anna SA, Dunkelberger GR  
Bioelectromagnetics 6(2), 1985
- La Regina2003 THE EFFECT OF CHRONIC EXPOSURE TO 835.62 MHz FDMA OR 847.74 MHz CDMA RF RADIATION ON THE INCIDENCE OF SPONTANEOUS TUMORS IN RATS.  
La Regina M, Moros EG, Pickard WF, Straube WL, Baty J, Roti Roti JL  
Radiat Res 160(2), 2003
- Lagroye2004 MEASUREMENT OF DNA DAMAGE AFTER ACUTE EXPOSURE TO PW 2450 MHz MW IN RAT BRAIN CELLS BY TWO ALKALINE COMET ASSAY METHODS.  
Lagroye I, Anane R, Wettring BA, Moros EG, Straube WL, La Regina M, Niehoff M, Pickard WF, Baty J, Roti Roti JL
- Lai1988 ACUTE LOW-LEVEL MW EXPOSURE AND CENTRAL CHOLINERGIC ACTIVITY: STUDIES ON IRRADIATION PARAMETERS.  
Lai H, Horita A, Guy AW  
Bioelectromagnetics 9(4), 1988

- Lai1995 ACUTE LOW-INTENSITY MW EXPOSURE INCREASES DNA SINGLE-STRAND BREAKS IN RAT BRAIN CELLS.  
Lai H, Singh NP  
Bioelectromagnetics 16(3), 1995
- Lai1996 SINGLE- AND DOUBLE-STRAND DNA BREAKS IN RAT BRAIN CELLS AFTER ACUTE EXPOSURE TO RF EM RADIATION.  
Lai H, Singh NP  
Int J Radiat Biol 69(4), 1996
- Laszlo2005 THE HEAT-SHOCK FACTOR IS NOT ACTIVATED IN MAMMALIAN CELLS EXPOSED TO CELLULAR PHONE FREQUENCY MW.  
Laszlo A, Moros EG, Davidson T, Bradbury M, Straube, W, Roti Roti J  
Radiat Res 164(2), 2005
- Lebovitz1983 PULSE-MODULATED AND CW MW RADIATION YIELD EQUIVALENT CHANGES IN OPERANT BEHAVIOR OF RODENTS.  
Lebovitz RM  
Physiol Behav 30(6), 1983
- Lim2005 EFFECT OF 900 MHz EMF ON NONTHERMAL INDUCTION OF HEAT-SHOCK PROTEINS IN HUMAN LEUKOCYTES.  
Lim HB, Cook GG, Barker AT, Coulton LA  
Radiat Res 163(1), 2005
- Lindauer1974 FURTHER EXPERIMENTS SEEKING EVIDENCE OF NONTHERMAL BIOLOGICAL EFFECTS OF MW RADIATION.  
Lindauer GA, Liu LM, Skewes GW, Rosenbaum FJ  
IEEE Trans Microw Theory Tech MTT-22(8), 1974
- Linz1999 MEMBRANE POTENTIAL AND CURRENTS OF ISOLATED HEART MUSCLE CELLS EXPOSED TO PULSED RF FIELDS.  
Linz KW, von Westphalen C, Streckert J, Hansen V, Meyer R  
Bioelectromagnetics 20(8), 1999
- Liu1982 INVESTIGATION OF THE EFFECTS OF CW, PULSE- AND AM MW ON SINGLE EXCITABLE CELLS OF CHARA CORALLINA.  
Liu LM, Garber F, Cleary SF  
Bioelectromagnetics 3(2), 1982
- Lu1992 ABNORMAL CARDIOVASCULAR RESPONSES INDUCED BY LOCALIZED HIGH POWER MW EXPOSURE.  
Lu ST, Brown DO, Johnson CE, Mathur SP, Elson EC  
IEEE Trans Biomed Eng 39(5), 1992
- Maes2001 CYTOGENETIC EFFECTS OF 900 MHz (GSM) MICROWAVES ON HUMAN LYMPHOCYTES.  
Maes A, Collier M, Verschaeve L  
Bioelectromagnetics 22(2), 2001
- Mahrour2005 IN VITRO INCREASE OF THE FLUID-PHASE ENDOCYTOSIS INDUCED BY PULSED RF EMF: IMPORTANCE OF THE ELECTRIC FIELD COMPONENT.  
Mahrour N, Pologea-Moraru R, Moisescu MG, Orlowski S, Leveque P, Mir LM  
Biochim Biophys Acta 1668(1). 2005

- Malyapa1997 MEASUREMENT OF DNA DAMAGE AFTER EXPOSURE TO ELECTROMAGNETIC RADIATION IN THE CELLULAR PHONE COMMUNICATION FREQUENCY BAND (835.62 AND 847.74 MHz).  
Malyapa RS, Ahern EW, Straube WL, Moros EG, Pickard WF, Roti Roti JL  
Radiat Res 148(6), 1997
- Markkanen2004 APOPTOSIS INDUCED BY UV RADIATION IS ENHANCED BY AM RF RADIATION IN MUTANT YEAST CELLS.  
Markkanen A, Penttinen P, Naarala J, Pelkonen J, Sihvonen AP, Juutilainen J  
Bioelectromagnetics 25(2), 2004
- Matych1981 GLUCOSAMINOGLYCANS (GAG) IN THE BRAIN OF RATS EXPOSED TO EMF.  
Matych S  
Med Pr 32(6), 1981
- Mausset2001 EFFECTS OF RF EXPOSURE ON THE GABAERGIC SYSTEM IN THE RAT CEREBELLUM: CLUES FROM SEMI-QUANTITATIVE IMMUNOHISTOCHEMISTRY.  
Mausset AL, de Seze R, Montpeyroux F, Privat A  
Brain Res 912(1), 2001
- McNamee2002 DNA DAMAGE IN HUMAN LEUKOCYTES AFTER ACUTE IN VITRO EXPOSURE TO A 1.9 GHz PULSE-MODULATED RF FIELD.  
McNamee JP, Bellier PV, Gajda GB, Miller SM, Lemay EP, Lavallee BF, Marro L, Thansandote A  
Radiat Res 158(4), 2002
- McNamee2003 NO EVIDENCE FOR GENOTOXIC EFFECTS FROM 24 H EXPOSURE OF HUMAN LEUKOCYTES TO 1.9 GHz RF FIELDS.  
McNamee JP, Bellier PV, Gajda GB, Lavallee BF, laMarro L, Lemay E, Thansandote A  
Radiat Res 159(5), 2003
- McRee1982 PULSE MW EFFECTS ON NERVE VITALITY.  
McRee DI, Wachtel H  
Radiat Res 91(1), 1982
- Meltz1987 RF (MW) RADIATION EXPOSURE OF MAMMALIAN CELLS DURING UV-INDUCED DNA REPAIR SYNTHESIS.  
Meltz ML, Walker KA, Erwin DN  
Radiat Res 110 (2), 1987
- Merritt1978 STUDIES ON BLOOD-BRAIN BARRIER PERMEABILITY AFTER MW-RADIATION.  
Merritt JH, Chamness AF, Allen SJ  
Radiat Environ Biophys 15(4), 1978
- Mezhevikina1990 EFFECT OF ELECTROMAGNETIC SHF-RADIATION ON THE MORPHO-FUNCTIONAL STATUS OF EARLY MOUSE EMBRYOS.  
Mezhevikina LM, Koltun SV, Goriushkin GE, Tigranian RE  
Biofizika 35(5), 1990
- Mezykowski1980 RESPONSE OF ASPERGILLUS NIDULANS AND PHYSARIUM POLY-CEPHALUM TO MW IRRADIATION.  
Mezykowski T, Bal J, Debiec H, Kwarecki K  
J Microw Power 15(2), 1980

- Miryutova2001      MILLIMETER WAVES IN THE TREATMENT OF NEUROLOGICAL MANIFESTATIONS OF VERTEBRAL OSTEOCHONDROSIS.  
Miryutova NF, Levitskii EF, Kozhemyakin AM, Mavlyautdinova IM  
Crit Rev Biomed Eng 29(5-6), 2001
- Mishenko2000      COMPLEX HIGH-FREQUENCY TECHNOLOGY FOR PROTECTION OF GRAIN AGAINST PESTS.  
Mishenko AA, Malinin OA, Rashkovan VM, Basteev AV, Bazyma LA, Mazalov Yu P, Kutovoy VA  
J Microw Power Electromagn Energy 35(3), 2000
- Morrissey1999      IRIIDIUM EXPOSURE INCREASES C-FOS EXPRESSION IN THE MOUSE BRAIN ONLY AT LEVELS WHICH LIKELY RESULT IN TISSUE HEATING.  
Morrissey JJ, Raney S, Heasley E, Rathinavelu P, Dauphinee M, Fallon JH  
Neuroscience 92(4), 1999
- Navakatikian1990      THE EFFECT OF MW IRRADIATION ON THE STATUS OF THE THYROID GLAND.  
Navakatikian MA, Gordienko VM, Slavnov VN, Nogachevskaia SI, Tomashevskaja LA  
Radiobiologija 30(5), 1990
- Nilsson1989      MW EFFECTS ON THE CENTRAL NERVOUS SYSTEM -- A STUDY OF RADAR MECHANICS.  
Nilsson R, Hamnerius Y, Hansson Mild K, Hansson H-A, Hjelmqvist E, Olanders S, Persson LI  
Health Phys 56(5), 1989
- Olcerst1978      STUDIES ON THE INTERACTION OF MW RADIATION WITH CHOLINESTERASE.  
Olcerst RB, Rabinowitz JR  
Radiat Environ Biophys 15(3), 1978
- Oscar1977      MW ALTERATION OF THE BLOOD-BRAIN BARRIER SYSTEM OF RATS.  
Oscar KJ, Hawkins TD  
Brain Res 126(2), 1977
- Pakhomov1991      ABSENCE OF NON-THERMAL MW EFFECTS ON THE FUNCTION OF GIANT NERVE FIBERS.  
Pakhomov AG, Dubovlck BV, Kolupayev VE, Pronkevich AN  
J Bioelectr 10(1&2), 1991
- Pakhomov2002      COMPARISON OF DOSE DEPENDENCES FOR BIOEFFECTS OF CW AND HIGH-PEAK POWER MW EMISSIONS USING GEL-SUSPENDED CELL CULTURES.  
Pakhomov A, Gajsek P, Allen L, Stuck BE, Murphy MR  
Bioelectromagnetics 23(2), 2002
- Pakhomov2003      EFFECTS OF HIGH POWER MW PULSES ON SYNAPTIC TRANSMISSION AND LONG TERM POTENTIATION IN HIPPOCAMPUS.  
Pakhomov AG, Doyle J, Stuck BE, Murphy MR  
Bioelectromagnetics 24(3), 2003

- Panagopoulos2004 EFFECT OF GSM 900-MHz MOBILE PHONE RADIATION ON THE REPRODUCTIVE CAPACITY OF DROSOPHILA MELANOGASTER.  
Panagopoulos DJ, Karabarbounis A, Margaritis LH  
Electromagn Biol Med 23(1), 2004
- Pau2005 CAN ELECTROMAGNETIC FIELDS EMITTED BY MOBILE PHONES STIMULATE THE VESTIBULAR ORGAN?  
Pau HW, Sievert U, Eggert S, Wild W  
Otolaryngol Head Neck Surg 132(1), 2005
- Penafiel1997 ROLE OF MODULATION IN THE EFFECT OF MW ON ORNITHINE DECARBOXYLASE ACTIVITY IN L929 CELLS.  
Penafiel LM, Litovitz T, Krause D, Desta A, Mullins JM  
Bioelectromagnetics 18(2), 1997
- Persson1992 INCREASED PERMEABILITY OF THE BLOOD-BRAIN BARRIER INDUCED BY MAGNETIC AND EMF.  
Persson BRR, Salford LG, Brun A, Eberhardt JL, Malmgren L  
Ann N Y Acad Sci 649, 1992
- Persson1997 BLOOD-BRAIN BARRIER PERMEABILITY IN RATS EXPOSED TO EMF USED IN WIRELESS COMMUNICATION.  
Persson BRR, Salford LG, Brun A  
Wireless Networks 3(6), 1997
- Philippova1988 MICROWAVE EFFECT ON CAMPHOR BINDING TO RAT OLFACTORY EPITHELIUM.  
Philippova TM, Novoselov VI, Bystrova MF, Alekseev SI  
Bioelectromagnetics 9(4), 1988
- Philippova1994 INFLUENCE OF MICROWAVES ON DIFFERENT TYPES OF RECEPTORS AND THE ROLE OF PEROXIDATION OF LIPIDS ON RECEPTORPROTEIN SHEDDING.  
Philippova TM, Novoselov VI, Alekseev SI  
Bioelectromagnetics 15(3), 1994
- Roberti1975 PRELIMINARY INVESTIGATIONS OF THE EFFECTS OF LOW-LEVEL MW RADIATION ON SPONTANEOUS MOTOR ACTIVITY IN RATS.  
Roberti B, Heebels GH, Hendricx JC, de Greef AH, Wolthuis OL  
Ann N Y Acad Sci 247, 1975
- Roberts1987 MITOGEN RESPONSIVENESS AFTER EXPOSURE OF INFLUENZA VIRUS-INFECTED HUMAN MONONUCLEAR LEUKOCYTES TO CW OR PULSE-MODULATED RF RADIATION.  
Roberts NJ,Jr, Michaelson SM, Lu ST  
Radiat Res 110(3), 1987
- Roti Roti2001 NEOPLASTIC TRANSFORMATION IN C3H 10T(1/2) CELLS AFTER EXPOSURE TO 835.62 MHz FDMA AND 847.74 MHz CDMA RADIATIONS.  
Roti Roti JL, Malyapa RS, Bisht KS, Ahern EW, Moros EG, Pickard WF, Straube WL  
Radiat Res 155(1 Pt 2), 2001

- Salford1993-a      EXPERIMENTAL STUDIES OF BRAIN TUMOUR DEVELOPMENT DURING EXPOSURE TO CONTINUOUS AND PULSED 915 MHz RF RADIATION.  
Salford LG, Brun A, Persson BRR, Eberhardt JL  
Bioelectrochem Bioenerg 30, 1993
- Salford1993-b      PERMEABILITY OF THE BLOOD-BRAIN BARRIER INDUCED BY 915 MHz EM RADIATION, CW AND MODULATED AT 8,16, 50 AND 200 Hz.  
Salford LG, Brun A, Eberhardt JL, Persson BRR  
Bioelectrochem Bioenerg 30, 1993
- Salford1994      PERMEABILITY OF THE BLOOD-BRAIN BARRIER INDUCED BY 915 MHz EM RADIATION, CW AND MODULATED AT 8,16, 50, AND 200 Hz.  
Salford LG, Brun A, Stuesson K, Eberhardt JL, Persson BR  
Microsc Res Tech 27(6), 1994
- Salford1997      BRAIN TUMOUR DEVELOPMENT IN RATS EXPOSED TO EMF USED IN WIRELESS CELLULAR COMMUNICATION.  
Salford LG, Brun A, Persson BRR  
Wireless Networks 3(6), 1997
- Sanders1985      EFFECTS OF CW, PULSED, AND SINUSOIDAL-AM MW ON BRAIN ENERGY METABOLISM.  
Sanders AP, Joines WT, Allis JW  
Bioelectromagnetics 6(1), 1985
- Santini1988      B16 MELANOMA DEVELOPMENT IN BLACK MICE EXPOSED TO LOW-LEVEL MW RADIATION.  
Santini R, Hosni M, Deschaux P, Pacheco H  
Bioelectromagnetics 9(1), 1988
- Seaman1977      EFFECTS OF MW RADIATION ON APLYSIAN GANGLION CELLS.  
Seaman RL  
Neurosci Res Program Bull 15(1), 1977
- Seaman1978      SLOW AND RAPID RESPONSES TO CW AND PULSED MW RADIATION BY INDIVIDUAL APLYSIA PACEMAKERS.  
Seaman RL, Wachtel H  
J Microw Power 13(1), 1978
- Seaman1993      INTER-BEAT INTERVALS OF CARDIAC-CELL AGGREGATES DURING EXPOSURE TO 2.45 GHz CW, PULSED, AND SQUARE-WAVE-MODULATED MW.  
Seaman RL, DeHaan RL  
Bioelectromagnetics 14(1), 1993
- Semin2002      DEPENDENCE OF MW-INDUCED DNA SECONDARY STRUCTURE DESTABILIZATION ON THE MOLECULAR WEIGHT OF THE POLYNUCLEOTIDE.  
Semin IA, Shvartsburg LK, Zhavoronkov LP  
Radiats Biol Radioecol 42(2), 2002
- Servantie1976      COMPARATIVE STUDY OF THE ACTION OF THREE TYPES OF MW FIELDS UPON THE BEHAVIOR OF THE WHITE RAT.  
Servantie B, Gillard J, Servantie AM, Obrenovitch J, Bertharion G, Perrin JC, Creton BJ  
J Microw Power 11(2), 1976

- Sidorenko1999 THE ANALYSIS OF ANIMAL BIOELECTRIC BRAIN ACTIVITY INFLUENCED BY MW OR BY THE INTRODUCTION OF STRYCHNINE.  
Sidorenko AV  
Bioelectrochem Bioenerg 48(1), 1999
- Sidorenko2000 EFFECTS OF MW RADIATION AND STRYCHNINE ON CEREBRAL BIOPOTENTIALS IN NARCOTIZED RATS.  
Sidorenko AV, Tsaryuk VV  
Bull Exp Biol Med 130(9), 2000
- Sievert2005 CAN MOBILE PHONE EMISSIONS AFFECT AUDITORY FUNCTIONS OF COCHLEA OR BRAIN STEM?  
Sievert U, Eggert S, Pau HW  
Otolaryngol Head Neck Surg 132(3), 2005
- Simko2006 HSP70 EXPRESSION AND FREE RADICAL RELEASE AFTER EXPOSURE TO NON-THERMAL RADIO-FREQUENCY ELECTROMAGNETIC FIELDS AND ULTRAFINE PARTICLES IN HUMAN MONO MAC 6 CELLS.  
Simko M, Hartwig C, Lantow M, Lupke M, Mattsson MO, Rahman Q, Rollwitz J  
Toxicol Lett 161 (2006), 2006
- Singh1994 ATHERMAL PHYSIOLOGICAL EFFECTS OF MW ON A CYNOBACTERIUM NOSTOC MUSCORUM: EVIDENCE FOR EM-MEMORY BITS IN WATER.  
Singh SP, Rai S, Rai AK, Tiwari SP, Singh SS, Samarketu, Abraham J  
Med Biol Eng Comput 32(2), 1994
- Smialowicz1982 ASSESSMENT OF THE IMMUNE RESPONSIVENESS OF MICE IRRADIATED WITH CW OR PM 425-MHz RF RADIATION.  
Smialowicz RJ, Riddle MM, Weil CM, Brugnolotti PL, Kinn JB  
Bioelectromagnetics 3(4), 1982
- Somosal1991 EFFECTS OF MODULATED AND CONTINUOUS MW IRRADIATION ON THE MORPHOLOGY AND CELL SURFACE NEGATIVE CHARGE OF 3T3 FIBROBLASTS.  
Somosal Z, Thuroczy G, Kubasova T, Kovacs J, Szabo LD  
Scanning Microsc 5(4), 1991
- Somosal1993 EFFECTS OF MODULATED AND CONTINUOUS MW IRRADIATION ON PYROANTIMONATE PRECIPITABLE CALCIUM CONTENT IN JUNCTIONAL COMPLEX OF MOUSE SMALL INTESTINE.  
Somosal Z, Thuroczy G, Koteles GJ, Kovacs J  
Scanning Microsc 7(4), 1993
- Somosal1994 EFFECTS OF MODULATED MW AND X-RAY IRRADIATION ON THE ACTIVITY AND DISTRIBUTION OF CA<sup>++</sup> ATPASE IN SMALL INTESTINE EPITHELIAL CELLS.  
Somosal Z, Thuroczy G, Koteles GJ, Kovacs J  
Scanning Microsc 8(3), 1994
- Stewart-DeHaan1980 LENS CATARACT FORMATION IN VITRO: THE EFFECTS OF HEAT AND MICROWAVE IRRADIATION.  
Stewart-DeHaan PJ, Trevithick JR, Creighton MO, Ross WM, Larsen LE, Jacobi JH  
Invest Ophthalmol Vis Sci 19(Suppl.), 1980

- Sukhotina2006 1800 MHz ELECTROMAGNETIC FIELD EFFECTS ON MELATONIN RELEASE FROM ISOLATED PINEAL GLANDS.  
Sukhotina I, Streckert JR, Bitz AK, Hansen VW, Lerchl A  
J Pineal Res 40(1), 2006
- Teng1996 NO NONTHERMAL EFFECT OBSERVED UNDER MW IRRADIATION OF SPINAL CORD.  
Teng J, de Tournai DC, Duhamel F, Vander Vorst A  
IEEE Trans Microw Theory Tech 44, 1996
- Thomas1975 EFFECTS OF LOW-LEVEL MW RADIATION ON BEHAVIORAL BASELINES.  
Thomas JR, Finch ED, Fulk DW, Burch LS  
Ann N Y Acad Sci 247, 1975
- Thomas1982 COMPARATIVE EFFECTS OF PULSED AND CW 2.8-GHz MW ON TEMPORALLY DEFINED BEHAVIOR.  
Thomas JR, Schrot J, Banvard RA  
Bioelectromagnetics 3(2), 1982
- Vagin1985 SOMATICOAUTONOMIC FUNCTIONS OF RABBITS EXPOSED TO A VHIF EMF AT ACUPUNCTURE POINTS.  
Vagin IuE, Vagina LV, Batsiuro SG  
Biol Nauki (10), 1985
- Vollrath1997 NO SHORT-TERM EFFECTS OF HF EMF ON THE MAMMALIAN PINEAL GLAND.  
Vollrath L, Spessert R, Kratzsch T, Keiner M, Hollmann H  
Bioelectromagnetics 18(5), 1997
- Vorob'ev1994 THE ELECTRICAL ACTIVITY OF SYMMETRICAL AREAS OF THE RAT CEREBRAL CORTEX DURING THE USE OF A LOW-INTENSITY UHF FIELD.  
Vorob'ev VV, Konovalov VF, Gorelkova TF, Gal'chenko AA  
Fiziol Zh Im I M Sechenova 80(12), 1994
- Wachtel1975 EFFECTS OF LOW-INTENSITY MW ON ISOLATED NEURONS.  
Wachtel H, Seaman R, Joines W  
Ann N Y Acad Sci 247, 1975
- Wangemann1976 THE IN VIVO EFFECTS OF 2.45 GHz MICROWAVE RADIATION ON RABBIT SERUM COMPONENTS AND SLEEPING TIMES.  
Wangemann RT, Cleary SF  
Radiat Environ Biophys 13, 1976
- Ward1985 BLOOD-BRAIN BARRIER PERMEATION IN THE RAT DURING EXPOSURE TO LOW-POWER 1.7-GHz MW RADIATION.  
Ward TR, Ali JS  
Bioelectromagnetics 6(2), 1985
- Weiter1975 ASCORBIC ACID CHANGES IN CULTURED RABBIT LENSES AFTER MW IRRADIATION.  
Weiter JJ, Finch ED, Schulz W, Frattali V  
Ann N Y Acad Sci 247, 1975
- Wildervanck1978 PULSED MW-DIATHERMY.  
Wildervanck A  
Biomed Tech (Berlin) 23(7/8), 1978

- Wilson1980            ALTERATIONS IN ACTIVITY AT AUDITORY NUCLEI OF THE RAT INDUCED BY EXPOSURE TO MIW RADIATION: AUTORADIOGRAPHIC EVIDENCE USING [14C]-DEOXY-D-GLUCOSE.  
Wilson BS, Zook JM, Joines WT, Casseday JH  
Brain Res 187(2), 1980
- Wilson1985            MECHANISMS AND PHYSIOLOGIC SIGNIFICANCE OF MW ACTION ON THE AUDITORY SYSTEM.  
Wilson BS, Joines WT  
J Bioelectricity 4(2), 1985
- Wolke1996            CALCIUM HOMEOSTASIS OF ISOLATED HEART MUSCLE CELLS EXPOSED TO PULSED HF EMF.  
Wolke S, Neibig U, Elsner R, Gollnick F, Meyer R  
Bioelectromagnetics 17(2), 1996
- Yee1986                EFFECTS OF PULSED MICROWAVE RADIATION ON THE CONTRACTILE RATE OF ISOLATED FROG HEARTS.  
Yee KC, Chou CK, Guy AW  
J Microw Power Electromagn Energy 21(3), 1986
- Zeni2003                LACK OF GENOTOXIC EFFECTS (MICRONUCLEUS INDUCTION) IN HUMAN LYMPHOCYTES EXPOSED IN VITRO TO 900 MHz EMF.  
Zeni O, Chiavoni AS, Sannino A, Antolini A, Forigo D, Bersani F, Scarfi MR  
Radiat Res 160(2), 2003
- Zook2001                THE EFFECTS OF 860 MHz RF RADIATION ON THE INDUCTION OR PROMOTION OF BRAIN TUMORS AND OTHER NEOPLASMS IN RATS.  
Zook BC, Simmens SJ  
Radiat Res 155(4), 2001